

PRODUCT BROCHURE



CONTENTS

3	CEO	MES!	SAGE

- 4 DURAKOTE®
- 6 ACE CORRY ROOFING
- 8 ACE DEK ROOFING
- 10 ACE LOK ROOFING
- 12 FLASHINGS
- 13 ROLL TOP RIDGE
- 14 ROOF BATTENS
- 15 ACE ROOFING COLOUR RANGE
- 16 ACE QUAD GUTTER
- 17 ROUNDLINE GUTTER
- 18 STEEL FASCIA
- 18 BARGE SOAKER
- 19 FASCIA COVER
- 19 TILE VALLEY
- 20 HALF ROUND GUTTER
- 22 NU-LINE GUTTER
- 23 MINI-LINE GUTTER
- 24 SQUARE-LINE GUTTER
- 24 OLD STYLE QUAD GUTTER
- 25 100 X 50MM & 100 X 75MM ROLLFORM DOWNPIPE
- 26 90MM & 100MM & 150MM ROUND DOWNPIPE
- 27 RAINWATER HEADS & LEAFGUARDS
- 29 COASTAL RANGE
- 32 DIMENSIONS
- 33 ACE GUTTERING COLOUR RANGE
- 34 ACE PLUMBING SUPPLIES

CEO MESSAGE

MR DON ANDERSON CEO OF ACE GUTTERS PTY LTD

For over 70 years Ace Gutters has maintained a reputation as a manufacturer of the highest quality rainwater products.

Established in 1953 our philosophy has been to adapt and evolve within a changing marketplace, through product innovation and design, manufacturing techniques and technological advancements.

To this end Ace Gutters undertook the significant capital investment of purchasing a state of the art Bronx International Continuous Coil Coating Line.

This Continuous Coil Coating Line located at our head office at Mortdale NSW has allowed Ace Gutters to design and introduce to the marketplace a new pre painted steel product called DURAKOTE® a product that we believe will set a new industry benchmark and that has been specifically designed for the rainwater products industry.

DURAKOTE® is supported by a Rainwater Products Warranty of 20 years and a Roofing Warranty of 30 years.


Ace Gutters are also proud to announce that DURAKOTE® has been endorsed and licensed by the Australian Made Campaign as being AUSTRALIAN MADE & OWNED.


Ace Gutters can now ensure a quality process from the painting of our steel, to the slitting of coil, rollforming of our rainwater products, powder coating of our fittings, storage and transportation of our finished product.

In summary Ace Gutters now offer the market a new and improved pre painted steel product which is fully supported with the relevant technical data, product specification sheets and individual product warranties.

Ace Gutters remain at the forefront of the rainwater products industry and will continue to look at new and innovative ways of meeting and exceeding market expectations.


Don Anderson CEO





DURAKOTE® SUBSTRATE

- 1 Backing Coat (Nominal 6 µm)
- 2 Corrosion Resistant Primer
- 3 Corrosion Resistant Coating
- 4 AluZinc (Aluminium Zinc Alloy Coated Steel) AZ150
- 5 Corrosion Resistant Coating
- 6 Corrosion Resistant Primer (Nominal 5µm)
- 7 Finish Coat (Nominal 20µm)





DURAKOTE® is a painted steel product that has been designed specifically for the rainwater products industry.

DURAKOTE® is a highly durable painted steel product offering superior corrosion resistance, allowing it to withstand Australia's harsh weather conditions.

For this reason DURAKOTE® is supported by a 30 year Roofing Products Warranty and a 20 year Rainwater Products Warranty, covering gutter, fascia and downpipe.

THE SUBSTRATE

DURAKOTE® is manufactured from the world's most recognised steel substrate Aluzinc (Al-Zn 55%), a substrate that complies with the Standard ASTM A792M.

Aluzinc is a substrate that was developed in America during the 1960's by a company called Bethlehem Steel.

Their research focused on the range of aluminium/zinc binary alloys and its effects on corrosion resistance when applied to steel.

Both laboratory and long term outdoor exposure tests showed that the alloy which gives optimum corrosion resistance is 55% aluminium, 43.4% zinc and 1.6% silicon.

THE PAINT FINISH

DURAKOTE® also offers a superior paint finish, using a high quality polyester paint with an oven baked finish that resists peeling and flaking.

This allows Ace to guarantee to its customers a product that not only offers a modern and fresh look to a home, but also a product that will last for many years to come.

Utilising state of the art paint technology DURAKOTE® paint finish has been designed to meet Australian Standard AS2728.



ACE GUTTERS IS PROUD TO INTRODUCE TO THE AUSTRALIAN RAINWATER PRODUCTS INDUSTRY DURAKOTE®.

OUR COLOUR CHOICE

DURAKOTE® is available in a wide variety of colours, and will match any steel roofing colour available in the marketplace today.

Due to DURAKOTE® advanced coating system and superior grade substrate (AZ150) Ace Products are compatible with any painted steel roof.

PROVEN EXPERIENCE

With over 70 years experience in the rainwater products industry, specialising in the manufacturing of gutters, fascia, downpipes, accessories and with continual improvement in manufacturing techniques, product innovation, research and development you can be confident DURAKOTE® is a product that "we believe will set a new industry benchmark."

AUSTRALIAN MADE & DWNED

Established since 1953 Ace Gutters is a wholly owned Australian company.

From our manufacturing plants in NSW & Victoria, we control the entire production process. This includes painting, slitting, rollforming, die casting, powder coating, storing and transporting our products.

For these reasons we have gained the recognition and support of the Australian Made Campaign and are proud to exhibit and promote the Australian Made & Owned logo on gutter, downpipe, fascia, fascia cover, barge soaker and valley produced by DURAKOTE®.

You the customer can be proud to have purchased a product from an Australian owned business that has for many years utilised the skills and experience of the local community.



Choose Ace products made from DURAKOTE® and you will know that you are making a wise investment, purchasing a high quality Australian made product backed with an Ace Gutters 20 year warranty and Roofing Products 30 year warranty.

INCOMPATIBLE METALS

To avoid any corrosion please avoid using incompatible metals Copper and Lead with DURAKOTE®.

Copper pipes and lead flashings should not come in direct contact with DURAKOTE® or Aluzinc at any time.

Fixings made of Stainless Steel and fixings containing copper should also not be used with DURAKOTE® or Aluzinc.

PROTECTIVE PLASTIC FILM

DURAKOTE® is protected with a protective polyethelene strippable film to ensure your product is protected during the manufacturing & distribution process. The film is easily removable and manufactured from recyclable material.

This protective film must be removed prior to installation and to ensure that the protective film is easily removed please endeavour to ensure that the product is not left in direct sunlight or heat during the warmer months.

INSTALLATION CLEANING

Please ensure after installation, that all deposits of swarf and metal particles from self drilling screws, rivets, nails be swept away and washed from the gutter, roof at the end of each day. If you fail to do so it will void the warranty.

No responsibility will be taken if DURAKOTE® comes into contact with Acid when cleaning brickwork. Please advise acid wash contractors to wash off and rinse with clean water all roofing, gutter, fascia & downpipes. Product warranties are void if corrosion occurs as a result of contamination.



ACE CORRY® ROOFING



PRODUCT BENEFITS

ACE CORRY® is a popular roofing profile used in both contemporary homes and traditional style homes. ACE CORRY® can also be used in industrial buildings and sheds.

Manufactured from DURAKOTE® high tensile pre-painted steel with a premium paint finish specifically built to withstand the harsh Australian environment.

ACE CORRY® is manufactured from 0.42 & 0.48 BMT and is available in 22 colours.

TECHNICAL SPECIFICATIONS

	ACE CORRY®						
вмт	T MASS (KG/M²)		COVERAGE MM	RIB DEPTH	PITCH	SPA	MAX ANS (MM)
мм	ALUZING	DURAKOTE®	мм	мм	DEG	END	INTERNAL
0.42	4.28	4.36	762	17	5 (1 IN 12)	900	1200
0.48	4.86	4.92	762	17	5 (1 IN 12)	1300	1600

^{*}Please refer to our website design manual for applications which do not conform to AS4055 geometric limitations.

EXPECTED PRODUCT PERFORMANCE

Ace Gutters Pty Ltd warrants that ACE CORRY® manufactured from genuine DURAKOTE® pre-painted steel will have a life prior to perforation by natural weathering of up to 30 years from the date of installation.

Ace Gutters Pty Ltd also warrants that the DURAKOTE® exterior paint system will not flake or peel for a period of 20 years from the date of installation.




NSW • ACT • VICTORIA


ACE CORRY® ROOFING DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ACE CORRY® ROOFING PLAIN







ACE CORRY



FASTENING


ACE CORRY® is fixed to steel or timber supports. Screws can be placed in either crest or valley. It is best to place screws through edge crest to achieve water tightness.

Always drive screws perpendicular to the sheeting and in centre of corrugation, and do NOT screw less than 25mm from edge.

Roof zips must conform to AS3566-Class 4. They are to be hexagonal headed and must be used with neo washers for sealing.

FIXING

ACE CORRY® can be fixed with allowing screws 7per m².



INCOMPATIBLE METALS

To avoid any corrosion please avoid using incompatible metals Copper and Lead with DURAKOTE®. Copper pipes and lead flashings should not come in direct contact with DURAKOTE® or Aluzinc at any time.

Fixings made of Stainless Steel and fixings containing copper should also not be used with DURAKOTE® or Aluzinc.

INSTALLATION CLEANING

Please ensure after installation, that all deposits of swarf and metal particles from self drilling screws, rivets and nails, are swept away and washed from the roof and gutters at the end of each day.

If you fail to do so it will void the warranty.

No responsibility will be taken if DURAKOTE® comes into contact with acid when cleaning brickwork. Please advise acid wash contractors to wash off and rinse with clean water all roofing, gutters, fascia and downpipes. Product warranties are void if corrosion occurs as a result of contamination.



ACE DEK® ROOFING



PRODUCT BENEFITS

ACE DEK® is a popular commercial roofing profile used in industrial and residential building applications.

Manufactured from DURAKOTE® high tensile pre-painted steel with a premium paint finish specifically built to withstand the harsh Australian environment.

ACE DEK $^{\circ}$ is manufactured from 0.42 & 0.48 BMT and is available in 22 colours.

TECHNICAL SPECIFICATIONS

ACE DEK®							
вмт	MASS (KG/M²)		COVERAGE MM	RIB DEPTH	PITCH	SPA	MAX ANS (MM)
мм	ALUZING	DURAKOTE®	мм	мм	DEG	END	INTERNAL
0.42	4.28	4.36	762	29	2 (1 IN 3)	1300	1700
0.48	4.86	4.92	762	29	2 (1 IN 3)	1850	2600

^{*}Please refer to our website design manual for applications which do not conform to AS4055 geometric limitations.

EXPECTED PRODUCT PERFORMANCE

Ace Gutters Pty Ltd warrants that ACE DEK® manufactured from genuine DURAKOTE® pre-painted steel will have a life prior to perforation by natural weathering of up to 30 years from the date of installation.

Ace Gutters Pty Ltd also warrants that the DURAKOTE® exterior paint system will not flake or peel for a period of 20 years from the date of installation.



ACE DEK®




FASTENING

ACE DEK® is fixed to steel or timber supports. Screws can be placed in either crest or valley. It is best to place screws through edge crest

Always drive screws perpendicular to the sheeting and in centre of corrugation,

FIXING

ACE DEK® can be fixed with allowing screws 4 per m².



to achieve water tightness.

and do NOT screw less than 25mm from edge.

CREST' 5 FASTENERS



NSW • ACT • VICTORIA

ACE DEK® ROOFING DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ACE DEK® ROOFING PLAIN

CREST FIXING FOR ROOF & WALLS



INCOMPATIBLE METALS


To avoid any corrosion please avoid using incompatible metals Copper and Lead with DURAKOTE®. Copper pipes and lead flashings should not come in direct contact with DURAKOTE® or Aluzinc at any time.

> Fixings made of Stainless Steel and fixings containing copper should also not be used with DURAKOTE® or Aluzinc.

INSTALLATION CLEANING

Please ensure after installation, that all deposits of swarf and metal particles from self drilling screws, rivets and nails, are swept away and washed from the roof and gutters at the end of each day. If you fail to do so it will void the warranty.

No responsibility will be taken if DURAKOTE® comes into contact with acid when cleaning brickwork. Please advise acid wash contractors to wash off and rinse with clean water all roofing, gutters, fascia and downpipes. Product warranties are void if corrosion occurs as a result of contamination.





ACE LOK ROOFING



PRODUCT BENEFITS

ACE LOK® is a popular concealed fastened roofing profile used in industrial and residential building applications.

Manufactured from DURAKOTE® high tensile pre-painted steel with a premium paint finish specifically built to withstand the harsh Australian environment.

ACE LOK® is manufactured from 0.42 & 0.48 BMT and is available in 22 colours.

TECHNICAL SPECIFICATIONS

ACE LOK® PROPERTIES					
вмт	COVERAGE MM	RIB HEIGHT	RIB CENTRES	WEIGI	HT (KG/M²)
мм	мм	мм	MM ALUZING DURA		DURAKOTE®
0.42	700	40	233.3	4.72	4.75
0.48	700	40	233.3	5.38	5.42

MAXIMUM SPANS FOR HOUSE ROOF (MM)					MAXIMUM UNSTIFFENED
вмт	POSITION ON ROOF	WIND	AS 4055 WIND CLASSIFICATION		OVERHANG (MM)
		N 1	N2	NЗ	
0.42	ROOF GENERAL AREA	3000	3000	2750	
	ROOF EDGE	2560	1610	-	150
	ROOF EDGE CORNER	1530	-	-	
0.48	ROOF GENERAL AREA	3000	3000	2370	
	ROOF EDGE	2660	1920	1210	200
	ROOF EDGE CORNER	1800	1310	-	

^{*}Please refer to our website design manual for applications which do not conform to AS4055 geometric limitations.

EXPECTED PRODUCT PERFORMANCE

Ace Gutters Pty Ltd warrants that ACE LOK® manufactured from genuine DURAKOTE® pre-painted steel will have a life prior to perforation by natural weathering of up to 30 years from the date of installation.

Ace Gutters Pty Ltd also warrants that the DURAKOTE® exterior paint system will not flake or peel for a period of 20 years from the date of installation.




NSW • ACT • VICTORIA

ACE LOK® ROOFING DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ACE LOK® ROOFING PLAIN



ACE LOK®




FIXING AND FASTENING ACE LOK®

The ACE LOK® bracket is specifically designed and tested for the ACE LOK® system and quick installation.

Material: Base – 0.42mm (BMT) G550 Aluzinc Clip Tower – 1.22mm (BMT) G300 Aluzinc

Notes: The bracket is self aligning and has adjustment between brackets if required. Sheets must be laid in the direction shown on the bracket base. Fasteners used must be suitable for connection to the supporting Purlin.



INCOMPATIBLE METALS

To avoid any corrosion please avoid using incompatible metals Copper and Lead with DURAKOTE®. Copper pipes and lead flashings should not come in direct contact with DURAKOTE® or Aluzinc at any time.


Fixings made of Stainless Steel and fixings containing copper should also not be used with DURAKOTE® or Aluzinc.

INSTALLATION CLEANING

Please ensure after installation, that all deposits of swarf and metal particles from self drilling screws, rivets and nails, are swept away and washed from the roof and gutters at the end of each day.

If you fail to do so it will void the warranty.

No responsibility will be taken if DURAKOTE® comes into contact with acid when cleaning brickwork. Please advise acid wash contractors to wash off and rinse with clean water all roofing, gutters, fascia and downpipes. Product warranties are void if corrosion occurs as a result of contamination.



FLASHINGS

Ace Gutters manufacture custom made flashings that can be installed on any residential dwelling or commercial property.

When ordering custom made flashings the following information is required:

A detailed drawing with dimensions, angles, lengths and quantities.

The colour and the side the colour should be on.

NSW • ACT • VICTORIA


FLASHINGS DURAKOTE® 25% GLOSS

White, Brown, Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

FLASHINGS PLAIN




BARGE



METAL ROOF VALLEY






NSW • ACT • VICTORIA

ROLL TOP RIDGE DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ROLL TOP RIDGE PLAIN



ROLL TOP RIDGE

Ace Gutters rollformed roll top ridge provides an effective watertight barrier as well as an aesthetic finish which hides cut ends of the roof sheeting at the ridge and hip lines.

Ace Gutters roll formed roll top ridge is manufactured from 0.55 G300 AZ150 Aluzinc steel compliant to AS1397. Ace Gutters rollformed roll top ridge is also available in a range of colours.



INSULATION




Ace offers a range of high quality insulation products for commercial and residential applications.

FASTENERS



Ace Gutters offer a large range of fasteners to fix to different materials whether it be metal or wood. We offer screws from the following suppliers Buildex and Bremix.

Contact your local sales office for availability.



NSW • ACT • VICTORIA

ROOF BATTENS DURAKOTE® 25% GLOSS Plain.

DIMENSIONS CEILING BATTEN DIMENSIONS ROOF BATTEN 13 mm

ROOF BATTENS

40MM ROOF BATTENS & 22MM CEILING BATTENS

Ace Gutters 40mm Roof Battens are light but strong offering a cost effective alternative to timber battens.

Manufactured from 0.55 and or 0.48 G550 hi tensile steel
Ace Gutters Roof Battens are stocked in 6.1 metre and 7.5 metre lengths and
can be custom cut to length for larger orders.
Ace Gutters Ceiling Battens are stocked in 6.1 metre lengths only.

ANCILLARY PRODUCTS

Also Available: Skylights, Domes, Whirly Birds, Rapid Clad, Rapid Seam, Polycarb, Fibreglass, Insulated panel and more.



ACE ROOFING COLOUR RANGE

ACE STYLISH COLOURS




LOW GLOSS ONLY

N.B These are approximate printed colours. For accuracy, we recommend checking the chosen colour against an actual sample of the product before purchasing.



ACE QUAD

TECHNICAL SPECIFICATIONS:



Volume in 1m length with overflow holes.
6.1 litres measured to overflow holes.
5.9 litres without overflow holes,
measured to back of gutter.
Effective Cross Sectional Area:
Slotted: 6,041mm²
Unslotted: 5,900mm²

NSW • ACT • VICTORIA

ACE QUAD 115MM DURAKOTE® 80% GLOSS

Available Slotted or Unslotted.

White, Brown, Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

ACE QUAD DURAKOTE® 25% GLOSS

Available Slotted or Unslotted.

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue,
Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf,
Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey,
Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ACE QUAD 115MM PLAIN

Available Slotted & Unslotted.

DIMENSIONS AGE QUAD GUTTER 135 mm with overflow holes 64 64 mm 6,041mm² 115 mm







INTERNAL 90° ANGLE



EXTERNAL 45° ANGLE



EXTERNAL BRACKET



RIGHT & LEFT HAND RETURN STOP END



STOP END



CONCEALED
SUSPENSION BRACKET



OVERSTRAP BRACKET



CONCEALED BRACKET



TIMBER FASCIA



METAL FASCIA



10MM AND 5MM ACE SPACER CLIP



ACE CORNER Spacer Clip



90mm Nozzle



100mm Nozzle



100 x 50mm Nozzle



Nozzle



LEAFGUARD

 $\ensuremath{\mathsf{N.B}}$ Leafguard requires some degree of maintenance after installation.



ROUNDLINE

TECHNICAL SPECIFICATIONS:

Volume in 1m length with overflow holes. 6.3 litres measured to overflow holes. 7.2 litres without overflow nozzles measured to back of gutter. Effective Cross Sectional Area: Slotted: 6,314mm²

Unslotted: 7,133mm²

NSW • ACT • VICTORIA

ROUNDLINE DURAKOTE® 80% GLOSS

Available Slotted or Unslotted.

Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

ROUNDLINE DURAKOTE® 25% GLOSS

Available Slotted or Unslotted.

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

ROUNDLINE PLAIN

Available Slotted & Unslotted.

Custom Cut Only.

EXTERNAL 90° ANGLE



INTERNAL 90° ANGLE



EXTERNAL 45° ANGLE



INTERNAL 45° ANGLE



CONCEALED SUSPENSION BRACKET



OVERSTRAP BRACKET



TIMBER FASCIA SUSPENSION CLIP



STOP END



METAL FASCIA SUSPENSION CLIP



90MM AND 100MM ROUND NOZZLE




100 x 50mm Nozzle




100 x 75MM Nozzle




ANGLE CUTTING TEMPLATE (SUPPLIED WITH ORDER)





LEAFGUARD FOR ROUNDLINE N.B Leafguard requires some degree of maintenance after installation.





STEEL FASCIA




NSW • ACT • VICTORIA

STEEL FASCIA DURAKOTE® 25% GLOSS

White, Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

STEEL FASCIA PLAIN - Custom Cut Only.




BARGE SOAKER DURAKOTE® 80% GLOSS

White, Brown, Heritage Red, Jasmin Brown, Slate Grey, Iron Grey.

BARGE SOAKER DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Dusk, Birch, Gulf, Mist Green, Caulfield Green, Wallaroo, Monolith, Ebony.

BARGE SOAKER PLAIN





BARGE SOAKER






FASCIA COVER



NSW • ACT • VICTORIA

FASCIA COVER DURAKOTE® 25%


White, Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.




VALLEY DURAKOTE®

Slate Grey, Ebony, Monolith, Tuscan Red.

VALLEY PLAIN





TILE VALLEY





HALF ROUND

150_{MM}

TECHNICAL SPECIFICATIONS:

Volume in 1m length with overflow holes. 6.4 litres measured to overflow holes. 7.1 litres without overflow nozzles measured to back of gutter. Effective Cross Sectional Area: Slotted: 6,475mm²

Unslotted: 7,133mm²



NSW • ACT • VICTORIA

HALF ROUND DURAKOTE® 80% GLOSS

Available Slotted or Unslotted.

Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

HALF ROUND DURAKOTE® 25% GLOSS

Available Slotted or Unslotted.

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

HALF ROUND PLAIN

Available Slotted & Unslotted.

Custom Cut Only. DIMENSIONS HALF ROUND GUTTER









EXTERNAL BRACKET Internal 45° Angle (colour screws supplied) (colour screws supplied)







STOP END




100 x 50mm Nozzle



100 x 75MM Nozzle



90MM AND 100MM ROUND NOZZLE







LEAFGUARD FOR HALF ROUND

N.B Leafguard requires some degree of maintenance after installation.



HALF ROUND

200MM & 250MM

FLOW RATE:

Nominal Flow Capacity (Gutter Slope) Slope 1:500.

200mm - 3.25 litres / second. 250mm - 12.06 litres / second.



NSW • ACT • VICTORIA

HALF ROUND DURAKOTE® 80% GLOSS

Available Unslotted Only.

Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

HALF ROUND DURAKOTE® 25% GLOSS


Available Unslotted Only.

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue,
Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf,
Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey,
Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

HALF ROUND PLAIN

Available Unslotted Only.

Custom Cut Only.





EXTERNAL 90° ANGLE




INTERNAL 90° ANGLE



STRAIGHT JOINER



A4 COMMERCIAL BRACKET (COLOUR SCREWS SUPPLIED)



ANGLE CUTTING TEMPLATE (SUPPLIED WITH ORDER)



STOP END



100mm Round Nozzle



150MM ROUND NOZZLE



NU-LINE

TE

TECHNICAL SPECIFICATIONS:

Volume in 1m length.

12 litres measured to overflow holes.

Effective Cross Sectional Area:

Tile Roof: 12,300mm²


Metal Roof: 14,860mm²


NSW • ACT • VICTORIA

NU-LINE DURAKOTE® 80% GLOSS

White, Brown, Smooth Cream, Heritage Red, Iron Grey, Slate Grey.

NU-LINE PLAIN





METAL ROOF BRACKET

LEAFGUARD

N.B Leafguard requires some degree of maintenance after installation.



MINI-LINE

TECHNICAL SPECIFICATIONS:

Volume in 1m length. 7.7 litres measured to overflow holes. Effective Cross Sectional Area: 7,720mm²



MINI-LINE DURAKOTE® 80% GLOSS

White, Brown, Smooth Cream, Merino, Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

MINI-LINE DURAKOTE® 25% GLOSS Monolith, Ebony.

MINI-LINE PLAIN

EXTERNAL 90° ANGLE





INTERNAL 90° ANGLE

EXTERNAL 45° ANGLE







EXTERNAL BRACKET (PAINTED)



OVERSTRAP BRACKET



STOP END




CONCEALED BRACKET



METAL FASCIA SUSPENSION CLIP



TIMBER FASCIA SUSPENSION CLIP



101 mm



MINI-LINE ERECTION BRACKET



LEAFGUARD N.B Leafguard requires some degree of maintenance after installation.



SQUARE-LINE

FLOW RATE:

Volume in 1m length 1.5 litres / second. 6.4 litres measured to overflow holes.



NSW • ACT • VICTORIA


SQUARE-LINE DURAKOTE® 80% GLOSS

White, Brown, Smooth Cream, Merino, Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

SQUARE-LINE DURAKOTE® 25% GLOSS

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Dusk, Birch, Gulf, Mist Green, Caulfield Green, Mountain Blue, Wallaroo, Monolith, Ebony.

SQUARE-LINE PLAIN




OLD STYLE QUAD DURAKOTE®

All Ace Colours. (NSW & ACT only)

Available in Classic & Exclusive Colours 80% only.


OLD STYLE QUAD PLAIN (NSW & ACT only)





OLD STYLE QUAD







ROLLFORM DOWNPIPE

100 x 50mm



FLOW RATE:

100 x 50mm Volume in 1.8m length 9 litres. Flow Capacity 3.5 litres per second.

NSW • ACT • VICTORIA

100 x 50mm & 100 x 75mm Rollform

DOWNPIPE DURAKOTE® 80% GLOSS

White, Brown, Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

100 x 50mm & 100 x 75mm Rollform Downpipe DURAKOTE® 25% Gloss

Bulla White, Off White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

100 x 50mm & 100 x 75mm Rollform DownPipe Plain


100 x 50mm Nozzle 100 x 50mm Rollform Astragal 100 x 50mm Rollform Offset Adjustable 100 x 50mm Rollform Offset Adjustable 100 x 50mm Rollform Offset Adjustable 100 x 50mm Rollform Offset Adjustable


ROLLFORM DOWNPIPE

100 x 75mm

FLOW RATE:

100 x 75mm Volume in 1.8m length 13.5 litres. Flow Capacity 4.4 litres per second.







ROUND

90мм



FLOW RATE:

90mm Round Downpipe Volume in 1.8m length 11.44 litres. Flow Capacity of 90mm 4.2 litres per second.

NSW • ACT • VICTORIA

90MM ROUND DOWNPIPE

DURAKOTE® 80% GLOSS

White, Brown, Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

90MM ROUND DURAKOTE® 25% GLOSS

Bulla White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.

90MM ROUND DOWNPIPE PLAIN

NSW • ACT • VICTORIA

100MM ROUND DOWNPIPE

DURAKOTE® 80% GLOSS

Jasmin Brown, Heritage Red, Iron Grey, Slate Grey.

100mm & 150mm Round DownPipe DURAKOTE® 25% GLOSS

Bulla White, Sea Breeze, Gull Grey, Forest Blue, Armour Grey, Basal, Smooth Cream, Merino, Dusk, Birch, Gulf, Jasmin Brown, Heritage Red, Mist Green, Caulfield Green, Iron Grey, Mountain Blue, Wallaroo, Slate Grey, Monolith, Ebony.



100MM & 150MM

100MM FLAT

BOTTOM NOZZLE

FLOW RATE:

100mm HALF ROUND

Nozzle

100mm Round Downpipe Volume in 1.8m length 14.14 litres. Flow Capacity of 100mm 5.2 litres per second.

150mm Round Downpipe Volume in 1.8m length 31.6 litres. Flow Capacity of 100mm 15.01 litres per second.



150MM ROUND

Nozzle

100MM ROUND

Nozzle

DIMENSIONS ACE LEAF DIVERTER® 90mm 100x50mm 100x75mm DIMENSIONS RAINWATER HEAD

RAINWATER HEADS & LEAFGUARDS

NSW • ACT • VICTORIA

LEAFGUARD PAINTED 25% GLOSS & PLAIN

Slate Grey, Mountain Blue, Ebony.

ACE LEAF DIVERTER® & RAINWATER HEADS.

All Ace Colours & Plain.



ACCESSORIES





COASTAL RANGE

ROOFING








FLASHINGS / ROLL TOP RIDGE









BARGE FLASHING

APRON FLASHING







QUAD



EXTERNAL 90° ANGLE

INTERNAL 90° ANGLE

EXTERNAL 45° ANGLE

STOP END

HALF ROUND













EXTERNAL 90° ANGLE

INTERNAL 90° ANGLE

EXTERNAL 45° ANGLE

INTERNAL 45° ANGLE

STOP END

ROUNDLINE













EXTERNAL 90° ANGLE

INTERNAL 90° ANGLE EXTERNAL 45° ANGLE

INTERNAL 45° ANGLE

STOP END

STEEL FASCIA











 $90^{\circ}~\&~45^{\circ}$ Internal Angles

EXTERNAL 45° ANGLE

External 90° Angle

BARGE MOULDS

BRACKETS & CLIPS



EXTERNAL BRACKET











BRACKET PAINTED

QUAD CONCEALED BRACKET PAINTED

SUSPENSION CLIP SUSPENSION CLIP


Ace Gutters have all the accessories available in Ace Quad, Half Round, Roundline, Steel Fascia. DURAKOTE® Coastal Gutter & Fascia are supported by a 15 year warranty.



COASTAL RANGE

Severe Coastal and Industrial Environments can have corrosive effects on buildings. That's why Ace Gutters now manufactures Premium Products from DURAKOTE® Coastal Steel for severe coastal and industrial environments. DURAKOTE® Coastal is supported by a 15 year rainwater product warranty on Gutter & Fascia. Protect your home with materials that are aesthetically designed and built to last in corrosive environments.

DURAKOTE® COASTAL SUBSTRATE



- 1 Backing Coat (Nominal 10μm)
- 2 Corrosion Resistant Primer
- 3 Corrosion Resistant Coating
- 4 AluZinc (Aluminium Zinc Alloy Coated Steel AZ200)
- 5 Corrosion Resistant Coating
- 6 Corrosion Resistant Primer (Nominal 5µm both sides)
- 7 Finish Coat (Nominal 20µm)

✓ COASTAL100m - 200m from breaking surf.



SEVERE COASTAL

DURAKOTE® Coastal Steel is recommended in areas which exhibit frequently the smell of salt or salt spray in the air. These conditions are found approximately within 100 to 200 metres from breaking surf.

✓ COASTAL 100m - 200m from severe source of industrial emissions.



SEVERE INDUSTRIAL

DURAKOTE® Coastal Steel is recommended in areas which exhibit frequently the smell of industrial chemicals. These areas are found approximately 100 to 200 metres from the source of severe industrial corrosive emissions.



COASTAL RANGE

PRODUCT RANGE

Ace Gutters Premium Products are available in our three most popular gutter profiles Ace Quad, Half Round & Roundline. Steel Fascia also available.

PREMIUM ACCESSORIES

To compliment the premium product range Ace Gutters have produced a range of Premium Accessories. These accessories are made from zinc diecast which are conversion coated with chromate, chemically cleaned and then primed using Interpon MetaPrep™ Gold, a powder coating treatment designed as a barrier primer and surfacer for chemical and salt spray resistance. Powdered paint is applied as a top coat which is then oven baked onto the product resulting in a quality finish that ensures maximum durability in severe coastal and industrial environments.

PRODUCT AVAILABILITY CHART

PRODUCT	DURAKOTE® COASTAL STEEL
Ace Corry	€ COASTAL STELL
Ace Dek	<u> </u>
Ace Lok	<u> </u>
Flashings	<u>~</u>
Roll Top Ridge	<u> </u>
Ace Quad	<u> </u>
Half Round	<u> </u>
Roundline	<u> </u>
Steel Fascia	<u> </u>

PREMIUM PRODUCTS COLOUR CHART



PRODUCT DIMENSIONS



ACE COLOUR RANGE

ACE EXCLUSIVE COLOURS





ACE CLASSIC COLOURS


















ACE STYLISH COLOURS





WALLAROO



MONOLITH





^{*}Smooth Cream - 80% Available only in Nu-Line, Mini-Line & Square-Line profiles.
*Merino - 80% Available in Mini-Line & Square-Line profiles.

ACE PLUMBING SUPPLIES

TRADE & PUBLIC

We also have a self plumbing service store in NSW with a range of products to complete your bathroom, laundry and kitchen including stainless steel sinks, laundry tubs, basin and vanity units, Caroma toilet suites, Dux, Rheem and Rinnai Instantaneous Water heaters, fashion tapware, mixers, Euro Appliances - Ovens, Cook tops, Range hoods, Microwave and Dishwashers.

Ace Gutters is a valued Plumbtec Member aiming to be your one-stop bathroom, kitchen and plumbing supplies shop.







EXCEL TAPWARE COLLECTION

WIDE RANGE AVAILABLE



Ace Gutters Plumbing Division has designed and produced its own quality decorative tapware and bathroom accessories – The EXCEL® Tapware Collection. This range of tapware and bathroom accessories will enhance any project from your domestic home package to architecturally designed commercial estates.

The EXCEL® Tapware Collection range includes EXCEL® Project Tapware, EXCEL® Classic MKII Mixers, EXCEL Plus® Lever Tapware, EXCEL Plus® Deluxe Tapware & Bathroom Accessories, EXCEL Executive® Tapware & Bathroom Accessories and EXCEL® Elite Tapware and Accessories.

A superior and quality endorsed product the EXCEL® Tapware Collection is manufactured to watermark licence # WMKA21061 and conforms to AS3718 performance & AS3662-AS/NZS 6400:2003 water saving.







OUR COMMITMENT TO CUSTOMER SERVICE





WE ARE FULLY COMMITTED TO MEETING THE NEEDS OF OUR CUSTOMERS BY PROVIDING QUALITY PRODUCTS, RELIABLE SERVICE AND VALUE FOR MONEY.

At Ace Gutters we value:

HONESTY AND INTEGRITY:

Being ethical in our relationship with customers, suppliers and staff.

MUTUAL RESPECT:

Building solid working relationships through trust, teamwork and faith in each other's ability.

ACCEPTANCE OF CHANGE:

The ability to adapt and evolve with the changing market place through product innovation, manufacturing techniques and technological advancements.

For over 70 years Ace Gutters has maintained a reputation as a manufacturer of the highest quality rainwater goods, offering complete systems of guttering and drainage. We are a Plumbtec member and have a large self-service site and a complete range of bathroom, kitchen and plumbing supplies. We have branches in Sydney and Melbourne and can supply to the Eastern States.



NICIA



VICTORIA



NOWRA





NSW

Mortdale NSW 2223
Phone: (02) 9584 4777
Gutter Fax: (02) 9584 4799
Email: sales@acegutters.com.au

VICTORIA

12-14 Industrial Drive
Braeside VIC 3195
Phone: (03) 9586 4888
Gutter Fax: (03) 9586 4877
Fmail: acevic@acegutters.com

NOWRA

Lot 24 10 Cumberland Ave South Nowra NSW 2541 Ph: 02 4428 7111

--ax: 02 4428 7199

Email: nowrasales@acequtters.com.au

Newcastle Area

Phone: (02) 4948 6611 (02) 4325 5200 Fax: (02) 4948 9543

Canberra Area

Phone: (02) 6140 4925

WEBSITE:

WWW.ACEGUTTERS.COM.AU

Disclaimer: While Ace Gutters has taken all reasonable care in preparing this brochure, Ace Gutters takes no responsibility for loss resulting from relying on its contents. Customers should make their own enquiries as to whether any products described in this brochure are suitable for their intended use

nformation in this brochure may change without notice